

WEST VIRGINIA BUREAU FOR PUBLIC HEALTH

Office of Environmental Health Services  
Radiation, Toxics and Indoor Air Division  
Clandestine Drug Laboratory Remediation Program  
350 Capitol Street, Room 313  
Charleston, West Virginia 25301-1798  
Telephone (304) 558-2981 Fax (304) 558-0524

Final Remediation Report Checklist

§64-92-9. Final Remediation Report.

9.1. A final remediation report shall be submitted to the Commissioner within ten days of completion of remediation of residential property, and shall, at a minimum, contain the following:

- 9.1.a. The name, signature, and license number of person who prepared the report;
- 9.1.b. The physical address of the property;
- 9.1.c. A summary of any work performed which deviated from or was not discussed in the approved preliminary remediation plan;
- 9.1.d. Copies of waste manifests for all materials removed from the property;
- 9.1.e. Copies of clearance air monitoring sample results from a licensed asbestos clearance air monitor if asbestos containing materials were disturbed;
- 9.1.f. Submission of analytical sample results, including the following:

- 9.1.f.1. Approved laboratory sample results for all samples collected, analysis of lab results by an approved laboratory in accordance with subsection 7.3 of this rule;

- §64-92-7.3. All analytical laboratories used to analyze samples taken to comply with this rule shall be AIHA or EPA certified.

- 9.1.f.2. A site drawing showing the location of all samples taken;
    - 9.1.f.3. A photograph of each sample location cross-referenced to the laboratory results as identified on the site drawing; and;
    - 9.1.f.4. Chain of custody forms for all samples collected.

- 9.1.g. A signed statement stating that all remediation work was performed in accordance with the provisions of this rule.

9.2. If the submitted final remediation report is acceptable upon review, the Commissioner shall issue a certificate of remediation completion within forty five days of receipt of the report.